A general purpose vacuum for everyday use

The Nilfisk GD 111 is a basic, well-built, thoroughly reliable unit that can be relied upon to do the job day in day out. It is ideal for cleaning offices, hotel rooms, retail outlets, and similar light to medium duty applications.

As with all Nilfisk machines, the design is outstanding with careful attention given to ergonomics and environmental friendliness. The filling capacity is the best in its class, which means less time spent changing dust bags. The GD 111 weighs just 5.2 kg making it easy to move from place to place.

The ECO labelled GD 111 offers 25% reduced power consumption via a 900w fan unit whilst providing an excellent cleaning performance.

And all of this at a highly competitive price.

*machine only

PRODUCT FACTS

- Low noise level of 69 dB(A)* creates less disturbance and enables daytime cleaning
- Eco friendly 900w fan unit allows us to reduce power by 25% yet still achieve an excellent cleaning efficiency
- Weighs just 5.2 kg* for easy portability
- Best in class filling capacity. 10 litre container with 8 litre dust bag net filling
- Recyclable components support environmental protection
- Entire machine, including hose and wand, can be carried safely and comfortably in one hand
- Superbly designed for simplicity and effective cleaning at an economic price

All information provided in this document is subject to change without prior notice

Model	GD 111	GD 111	GD 111	GD 111	GD 111
Ref. no	**906 0901 010**	**906 0902 010**	**906 0903 010**	**906 0905 010**	**906 0906 010**
Description	**GD111 EU**	**GD111 UK**	**GD111 AU**	**GD111 JP**	**GD111 CN**
PRODUCT FEATURES					
DUST BAG (1 PCS)	■	■	■	■	■
INCL. ACCESSORIES					
140 8244 500 BRUSH NOZZLE KIT	■	■	■	■	■
30050000 Combi nozzle std. Black	■	■	■	■	■
147 0146 500 CREVICE NOZZLE D32 L153 BLACK	■	■	■	■	■
140 8246 040 EXTENSION TUBE STEEL D32	■	■	■		
147 0765 500 HOSE CPL BLACK	■	■	■	■	■
147 1432 500 SACK FILTER CPL	■	■	■	■	■
81906500 TUBE TELESC.LENGTH MAX 1130 MM				■	■

Technical specifications	GD 111	GD 111	GD 111	GD 111	GD 111
CABLE LENGTH (M)	10	10	10	10	10
VOLTAGE (V)	220-240	220-240	220-240	100	220-240
FREQUENCY (HZ)	50-60	50-60	50-60	50-60	50-60
IP PROTECTION CLASS	IP20	IP20	IP20	IP20	IP20
RATED POWER (W)	900	900	900	900	900
SUCTION POWER END OF TUBE (W)	200	200	200	170	200
AIRFLOW (L/SEC)	32	32	32	29	32
VACUUM AT NOZZLE (KPA)	23	23	23	19	23
SOUND PRESSURE LEVEL (DB(A) BS 5415)	50	50	50	50	50
SOUND POWER LEVEL (DB(A)IEC 704)	69	69	69	69	69
DUST BAG CAPACITY (L)	8	8	8	8	8
MAIN FILTER AREA (CM^2)	1250	1250	1250	1250	1250
LENGTH X WIDTH X HEIGHT (CM)	39.5x34x39	39.5x34x39	39.5x34x39	39.5x34x39	39.5x34x39
WEIGHT (KG)	5.2	5.2	5.2	5.2	5.2

Nilfisk-Advance A/S
Sognevej 25, 2605 Brøndby
Tel: +45 43238100 - Fax: +45 43437700

www.nilfisk-advance.com

All information provided in this document is subject to change without prior notice

Accessories	Ref. no	Min. required	GD 111
	Round brush nozzle		
BRUSH NOZZLE KIT	140 8244 500	1	■
	Crevice nozzle		
CREVICE NOZZLE D32 L153 BLACK	147 0146 500	1	■
	Combination nozzle		
Combi nozzle std. Black	30050000	1	■
	Tube		
EXTENSION TUBE STEEL D32	140 8246 040	1	■
TUBE TELESC.LENGTH MAX 1130 MM	81906500	1	■
	Hose Vacuum cleaners		
HOSE CPL BLACK	147 0765 500	1	■
	Bag		
DUST BAG 10L 10 PCS	140 8618 000	1	■
	Others		
20 PCS NUMATIC ADAPTER	107401199	1	■
SACK FILTER CPL	147 1432 500	1	■

Nilfisk-Advance A/S
Sognevej 25, 2605 Brøndby
Tel: +45 43238100 - Fax: +45 43437700

www.nilfisk-advance.com

All information provided in this document is subject to change without prior notice